WSA-0520

JEM ENGINEERING

Genetic Broadband Field Sensor

DESCRIPTION

The WSA-0520 encases (2) genetic antennas in one housing, optimizing it for dual-band applications.

It operates at frequencies from 50 to 500 MHz as well as 500 to 2000 MHz.

The antenna is designed to receive vertical, horizontal, right-hand, and left-hand polarized signals with less than 1 dB of variation.

Ground Plane Independent

SMA Female

Ideal for field-sensing and signal environment monitoring applications.



Genetic Broadband Field Sensor

SPECIFICATIONS

Ground Plane

Connector

| ELECTRICAL | | MECHANICAL | |
|----------------|----------------------------------|------------------|----------------------------------|
| Frequency Band | 50 MHz to 2000 MHz | Weight | 13.2 lbs (5.94 kg) |
| VSWR | < 4.0 : 1 | Dimensions | 24 " L x 10.5" Dia. |
| Polarization | Left-Hand or Right-Hand Circular | | (61 cm L x 26.7 cm Dia.) |
| | Horizontal or Vertical, Linear | Mounting | Available Upon Request |
| Gain | -50 dBi to -25 dBi | Finish (Default) | F63W12 White Polyurethane Enamel |
| Power | 25+ Watts CW | | |